


Book 10

Proposition 55

If an area is contained by a rational (straight-line) and a second binomial (straight-line) then the square-root of the area is the irrational (straight-line which is) called first bimedral.[†]



For let the area $ABCD$ be contained by the rational (straight-line) AB and by the second binomial (straight-line) AD . I say that the square-root of area AC is a first bimedral (straight-line).

For since AD is a second binomial (straight-line), let it have been divided into its (component) terms at E , such that AE is the greater term. Thus, AE and ED are rational (straight-lines which are) commensurable in square only, and the square on AE is greater than (the square on) ED by the (square) on (some straight-line) commensurable (in length) with (AE) , and the lesser term ED is commensurable in length with AB [Def. 10.6]. Let ED have been cut in half at F . And let the (rectangle contained) by AGE , equal to the (square) on EF , have been applied to AE , falling short by a square figure. AG (is) thus commensurable in length with GE [Prop. 10.17]. And let GH , EK , and FL have been drawn through (points) G , E , and F (respectively), parallel to AB and CD . And let the square SN , equal to

the parallelogram AH , have been constructed, and the square NQ , equal to GK . And let MN be laid down so as to be straight-on to NO . Thus, RN [is] also straight-on to NP . And let the square SQ have been completed. So, (it is) clear from what has been previously demonstrated [Prop. 10.53 lem.] that MR is the mean proportional to SN and NQ , and (is) equal to EL , and that MO is the square-root of the area AC . So, we must show that MO is a first bimedial (straight-line).

Since AE is incommensurable in length with ED , and ED (is) commensurable (in length) with AB , AE (is) thus incommensurable (in length) with AB [Prop. 10.13]. And since AG is commensurable (in length) with EG , AE is also commensurable (in length) with each of AG and GE [Prop. 10.15]. But, AE is incommensurable in length with AB . Thus, AG and GE are also (both) incommensurable (in length) with AB [Prop. 10.13]. Thus, BA , AG , and $(BA, \text{ and}) GE$ are (pairs of) rational (straight-lines which are) commensurable in square only. And, hence, each of AH and GK is a medial (area) [Prop. 10.21]. Hence, each of SN and NQ is also a medial (area). Thus, MN and NO are medial (straight-lines). And since AG (is) commensurable in length with GE , AH is also commensurable with GK —that is to say, SN with NQ —that is to say, the (square) on MN with the (square) on NO [hence, MN and NO are commensurable in square] [Props. 6.1, 10.11]. And since AE is incommensurable in length with ED , but AE is commensurable (in length) with AG , and ED commensurable (in length) with EF , AG (is) thus incommensu-

rable (in length) with EF [Prop. 10.13]. Hence, AH is also incommensurable with EL —that is to say, SN with MR —that is to say, PN with NR —that is to say, MN is incommensurable in length with NO [Props. 6.1, 10.11]. But MN and NO have also been shown to be medial (straight-lines) which are commensurable in square. Thus, MN and NO are medial (straight-lines which are) commensurable in square only. So, I say that they also contain a rational (area). For since DE was assumed (to be) commensurable (in length) with each of AB and EF , EF (is) thus also commensurable with EK [Prop. 10.12]. And they (are) each rational. Thus, EL —that is to say, MR —(is) rational [Prop. 10.19]. And MR is the (rectangle contained) by MNO . And if two medial (straight-lines), commensurable in square only, which contain a rational (area), are added together, then the whole is (that) irrational (straight-line which is) called first bimedial [Prop. 10.37].

Thus, MO is a first bimedial (straight-line). (Which is) the very thing it was required to show.